

FLUID FILM BLACK UNDERBODY PROTECTION KIT



\$59.95 GST included

2 x Easy to use Aerosol cans of 333g Fluid Film Black

1 x Extension Wand with 360 degree spray nozzle for hard to reach areas

SKU: N/A | Category: [Fluid Film](#) | Tag: [Grade](#)



GALLERY IMAGES



PRODUCT DESCRIPTION

Enhances your vehicle's appearance while providing long term protection.

Use FLUID FILM BLACK as a preventative measure to protect against rust & corrosion or to cover existing surface rust by depositing a rich BLACK colour to the metal, stopping further deterioration.

Not only does it look great, but it's easy to see where you've applied it, with the black pigment ensuring even coverage.

FLUID FILM's high grade Lanolin base provides long term protection of up to 12 months.

Proven in the most severe environments, FLUID FILM starts working immediately upon application, creating a non-drying barrier of protection that will not chip, crack, peel or flake, ensuring water cannot get between coating & metal.

The addition of FLUID FILM BLACK® allows customers to protect their vehicle while restoring a rich black colour to the chassis or to cover existing surface rust whilst providing protection from further deterioration.

Not only does it look great, but it's easy to see where you've applied it. The black tint helps to visually ensure even coverage.

FLUID FILM BLACK® is formulated from specially processed wool-wax, highly refined petroleum oils and selected agents to provide corrosion control, penetration, metal wetting and water displacement. The long lasting product contains no solvents, will not dry out and will penetrate to the base of all metals, providing

corrosion protection from both natural and industrial atmospheres

If applied to the undercarriage of a vehicle, it ideally needs to be reapplied once per year, preferably in spring as heat helps the fluid film flow better. Depending on environmental factors and where vehicle is used this time frame will vary.

If applied inside of doors and in panels, it will last almost indefinitely. Apply inside chassis frame holes and above metal components where salt and moisture can hide. Then apply a coating to the structural frame and suspension components. This includes the frame, drive shaft, axles, floor pans, and suspension components (avoid exhaust components and brakes). Only a thin coat of FLUID FILM BLACK® needs to be applied.

As fluid film is based on a natural product it will break down with detergents and high pressure steam. We simply recommend using a low pressure hose to wash under the vehicle.

Fluid Film Black® is compatible with the original Fluid Film and can be used in conjunction with each other. Fluid Film Black® can be applied over existing areas previously treated with the original Fluid Film® coating.

Fluid Film Black® is

- Rust's worst enemy
- Excellent for vehicle undercoating
 - Will not dry out, chip or crack
- Visually improves vehicle underbody
- Protects and covers existing surface rust
 - Only requires a thin coat

Underbody Protection Kit includes

2 x Easy to use Aerosol cans of 333g Fluid Film Black

1 x Extension Wand with 360 degree spray nozzle for hard to reach areas

ADDITIONAL INFORMATION

Weight

0.5 kg

Product Size

1 US Gallon (3.8L) - BLACK, 333 gram BLACK Aerosol

YOU MAY ALSO LIKE...



**Pro Gun U/Coat
Spray Kit**



**Fluid Film AS
(Grade 2)**