

**FLUID FILM NAS
(GRADE 2)**



\$21.50 - \$5,934.50 Price range: \$21.50 through \$5,934.50 GST included

SKU: N/A | Category: [Fluid Film](#) |



VARIATIONS

Image	SKU	Price	Description	Product Size
	FLUFLM_NAS_125SP	\$21.50 GST included		125ml Squeeze Bottle
	FLUFLM_NAS_BRUS	\$26 GST included		8 Oz (237ml) Brush Can
	FLUFLM_NAS_250SP	\$29 GST included		250ml Squeeze Bottle
	FLUFLM_NAS_250ML	\$28.50 GST included		250ml Jar

Image	SKU	Price	Description	Product Size
	FLUFLM_NAS_500ML	\$34 GST included		500ml Jar
	FLUFLM_NAS_3L8	\$139.50 GST included		1 US Gallon (3.8L)
	FLUFLM_NAS_19LP	\$668.50 GST included		5 US Gallons (18.9L)
	FLUFLM_NAS_208L	\$5,934.50 GST included		55 US Gallons (208L)

PRODUCT DESCRIPTION

FLUID FILM® is a penetrant and lubricant also used for corrosion prevention. It is a non-toxic, long lasting, thixotropic liquid that has been used for over fifty years in the highly corrosive marine environment of ships and offshore drilling rigs. More recently they have been introduced and successfully utilized in the

aerospace, aircraft and automobile industries as well as for home maintenance. Facilities where they are used include the following: government facilities, commercial fishing concerns, gas companies, agriculture, salt plants, municipal plants, power plants, manufacturing plants and pulp and paper mills.

FLUID FILM® is formulated from specially processed wool-wax, highly refined petroleum oils and selected agents to provide corrosion control, penetration, metal wetting and water displacement. The long-lasting product contains no solvents, will not dry out and will penetrate to the base of all metals, providing corrosion protection from both natural and industrial atmospheres. Heavily corroded and/or frozen parts such as nuts, bolts, shafts, etc. that would normally be damaged during maintenance, can be salvaged by applying FLUID FILM®.

ADDITIONAL INFORMATION

Weight	N/A
Product Size	125ml Squeeze Bottle, 8 Oz (237ml) Brush Can, 250ml Jar, 250ml Squeeze Bottle, 500ml Jar, 1 US Gallon (3.8L), 1 US Gallon (3.8L) – BLACK, 5 US Gallons (18.9L), 55 US Gallons (208L)

