FLUID FILM NAS (GRADE 2)



\$21.50 - \$5,934.50Price range: \$21.50 through \$5,934.50 GST included

SKU: N/A | Category: Fluid Film |



VARIATIONS

lmage	SKU	Price	Description	Product Size
POWERFUL PROTECTION PROTECTION PROTECTION 122mi	FLUFLM_NAS_125SP	\$21.50 GST included		125ml Squeeze Bottle
POUR SETUL BUT & CONSTITUTE PRITTER A GUESTON PR	FLUFLM_NAS_BRUS	\$26 GST included		8 Oz (237ml) Brush Can
POUE FUL PROTECTION PROTECTION Grap 2- Mill 2000	FLUFLM_NAS_250SP	\$29 GST included		250ml Squeeze Bottle
POWERFUL NUST & CORROSION PROTECTION FORMER OF THE PROPERTY & UBBRICHT Grade 2 - NAS	FLUFLM_NAS_250ML	\$28.50 GST included		250ml Jar

Image	SKU	Price	Description	Product Size
POWERFUL RUST & CORROSION PROTECTION FIRSTRANT & UMBERTING GORDES - JANS GORDES - JANS	FLUFLM_NAS_500ML	\$34 GST included		500ml Jar
POWERFUL PROTECTION PR	FLUFLM_NAS_3L8	\$139.50 GST included		1 US Gallon (3.8L)
POWERFUL PROTECTION PR	FLUFLM_NAS_19LP	\$668.50 GST included		5 US Gallons (18.9L)
Eluic Film	FLUFLM_NAS_208L	\$5,934.50 GST included		55 US Gallons (208L)

PRODUCT DESCRIPTION

FLUID FILM® is a penetrant and lubricant also used for corrosion prevention. It is a non-toxic, long lasting, thixotropic liquid that has been used for over fifty years in the highly corrosive marine environment of ships and offshore drilling rigs. More recently they have been introduced and successfully utilized in the

aerospace, aircraft and automobile industries as well as for home maintenance. Facilities where they are used include the following: government facilities, commercial fishing concerns, gas companies, agriculture, salt plants, municipal plants, power plants, manufacturing plants and pulp and paper mills.

FLUID FILM® is formulated from specially processed wool-wax, highly refined petroleum oils and selected agents to provide corrosion control, penetration, metal wetting and water displacement. The long-lasting product contains no solvents, will not dry out and will penetrate to the base of all metals, providing corrosion protection from both natural and industrial atmospheres. Heavily corroded and/or frozen parts such as nuts, bolts, shafts, etc. that would normally be damaged during maintenance, can be salvaged by applying FLUID FILM®.

ADDITIONAL INFORMATION

Weight N/A

125ml Squeeze Bottle, 8 Oz (237ml) Brush Can, 250ml Jar, 250ml **Product Size** Squeeze Bottle, 500ml Jar, 1 US Gallon (3.8L), 1 US Gallon (3.8L) -

BLACK, 5 US Gallons (18.9L), 55 US Gallons (208L)