FLUID FILM WRO-EP (GRADE 6)



\$29.50 - \$6,893.50Price range: \$29.50 through \$6,893.50 GST included

SKU: N/A | Category: Fluid Film |



VARIATIONS

Image	SKU	Price	Description	Product Size
POWERFUL RUST & CORROSION PROTECTION PHETRIT & LUBRICHT Grade & PUROLE COMMUNICATION OF THE PROTECTION	FLUFLM_WRO_250BT	\$29.50 GST included		250ml Jar
POWERFUL PUDT & CORROSION PROTECTION PATERIARY A LUBRICAD PAGE & VINDE BY LABORATION AND AND AND AND AND AND AND AND AND AN	FLUFLM_WRO_500ML	\$34.50 GST included		500ml Jar
POWERFUL POW	FLUFLM_WRO_3L8	\$157 GST included		1 US Gallon (3.8L)
FLUID FILM*, WRO-EP GREASE, WIRE ROPE EXPOSED GEAR MIL-PRF-18458 C \$150-00-530-6814 EMEKA CHEMICAL COM ^{AN} EMEKA CHEMICAL COM ^{AN} CHICH NO COUNTR	FLUFLM_WRO_19L	\$759.50 GST included		5 US Gallons (18.9L)

Image	SKU	Price	Description	Product Size
	FLUFLM_WRO_60L	\$2,212.50 GST included		16 US Gallons (60L)
Third Film: 510PS RUST!	FLUFLM_WRO_208L	\$6,893.50 GST included		55 US Gallons (208L)

PRODUCT DESCRIPTION

Wire Rope Lubricant, Extreme Pressure Properties

WRO-EP is recommended for the general maintenance of wire rope. It provides corrosion protection and lubrication for standing and running rigging, drag lines and bridge cable. The high tackiness of WRO-EP minimizes throw-off on higher speed running rigging and provides higher resistance to water abrasion and washout when used in tidal areas. Extreme pressure properties provide excellent lubrication for both wire rope and open gear applications. Rusty wire rope and cable should be first treated with FLUID FILM Liquid A to attain maximum penetration prior to applying WRO-EP.

ADDITIONAL INFORMATION

Weight N/A

Product Size 250ml Jar, 500ml Jar, 1 US Gallon (3.8L), 5 US Gallons (18.9L), 16

US Gallons (60L), 55 US Gallons (208L)